



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—
UNTABULATED.

AFRICA—*Zanzibar*.—Ten days ended October 31, 1907. Estimated population, 75,000. Total number of deaths, 40, including 4 from tuberculosis.

COLOMBIA—*Cartagena*.—Two weeks ended November 17, 1907. Estimated population, 30,000. Total number of deaths, 23, including whooping cough 1, and 1 from tuberculosis.

CUBA—*Matanzas*.—Month of November, 1907. Estimated population, 49,990. Total number of deaths, 72, including yellow fever 4, diphtheria 1, whooping cough 1, and 11 from tuberculosis.

FRANCE—*Calais*.—Month of November, 1907. Estimated population, 66,627. Total number of deaths, 84, including 19 from tuberculosis.

St. Etienne.—Two weeks ended November 15, 1907. Estimated population, 150,000. Total number of deaths, 124, including diphtheria 1, enteric fever 1, scarlet fever 1, and 25 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended November, 23, 1907, correspond to an annual rate of 15.3 per 1,000 population, which is estimated at 16,624,458.

London.—One thousand three hundred and seventy-three deaths were registered during the week, including measles 32, scarlet fever 18, diphtheria 23, enteric fever 1, whooping cough 16, tuberculosis 171, and 25 from diarrhea. The deaths from all causes correspond to an annual rate of 15 per 1,000. In Greater London 1,842 deaths were registered. In the "outer ring" the deaths included 2 from diphtheria, 4 from measles, 3 from scarlet fever, and 4 from whooping cough.

Salford.—Two weeks ended November 23, 1907. Estimated population, 236,670. Total number of deaths, 141, including diphtheria 4, measles 5, scarlet fever 1, whooping cough 3, and phthisis pulmonalis 15.

Ireland.—The average annual death rate represented by the deaths registered during the week ended November 23, 1907, in the 21 principal town districts of Ireland was 19.4 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Lurgan, viz, 4.4, and the highest in Newtownards, viz, 34.3 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended November 23, 1907, correspond to an annual rate of 16.7 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Greenock, viz, 29.3, and the lowest in Paisley, viz, 10.0 per 1,000. The aggregate number of deaths registered from all causes was 579, including diphtheria 7, enteric fever 1, measles 33, scarlet fever 2, and 12 from whooping cough.

ST. HELENA.—Four weeks ended November 9, 1907. Estimated population, 3,500. Total number of deaths, 5, including 1 from enteric fever.

SPAIN—*Malaga*.—Month of September, 1907. Estimated population, 130,000. Total number of deaths, 367, including enteric fever 3, smallpox 8, and 23 from tuberculosis.

SWITZERLAND.—Week ended October 26, 1907. Reports from 18 cities, having an aggregate population of 868,928, show as follows: Total number of deaths, 211, including whooping cough 2, enteric fever 2, diphtheria 2, and 30 from tuberculosis.

TASMANIA.—Month of September, 1907. Estimated population, 180,634. Total number of deaths, 187, including enteric fever 1, and 7 from whooping cough.

Cholera, yellow fever, plague, and smallpox from June 28 to December 20, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State and from other sources.]

[For reports received from December 28, 1906, to June 28, 1907, see PUBLIC HEALTH REPORTS for June 28, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria—Algiers	Aug. 1-31	2	Quarantined without the city limits.
Ceylon—Point de Galle	June 16-22	2	
China:				
Amoy	June 30-July 6	Kulangsu, 8 deaths daily, estimated. Aug. 3, still present.
Hankow	Aug. 24-Sept. 14	7	4	
Hongkong	Sept. 8-Oct. 26	71	23	
Shanghai	Aug. 4-Sept. 29	a 23	467	
Shanhaikwan	Sept. 2	Present on R. R. to Tongshan.
Tientsin	Aug. 15-Oct. 5	11	3 cases and 2 deaths from steamship from Shanghai.
India				Burma Province, 1906, 7,872 deaths.
Bombay	May 29-Oct. 30	392	
Calcutta	May 12-Oct. 26	941	
Cochin	May 4-Oct. 4	93	
Kashmir	May 11-July 9	10,555	6,563	From Nov. 1 to June 29, 16,675 cases and 9,705 deaths.
Madras	July 6-Nov. 8	598	
Moulmine	May 5-July 27	42	1	
Negapatnam	Oct. 5-11	7	
Rangoon	May 12-Nov. 2	45	
Japan, general	Sept. 1-Oct. 5	2,944	736	
Chiba pref.	Oct. 19-21	28	6	
Ehime Ken	Sept. 1-13	2	
Formosa	Sept. 8-Oct. 5	2	1	
Fukuoka	To Oct. 5	961	
Fukuoka Ken	Aug. 19-Sept. 13	687	
Moji	Aug. 19-Oct. 9	514	400	Including 83 cases in vicinity.
Hanedate	Oct. 19	Present.
Hiroshima Ken	Sept. 1-Oct. 8	30	
Hyogo Ken	Aug. 24-Sept. 13	102	
Kobe	Aug. 24-Dec. 16	472	123	
Kagashima	Sept. 1-Oct. 5	15	
Kagawa Ken	Sept. 1-Oct. 12	28	
Nagasaki Ken	Aug. 30-Oct. 12	61	2	Imported from Moji.
Nagatsu	Aug. 31	14 cases daily.
Nara	Sept. 1	1	
Ohita Ken	Sept. 1-Oct. 12	120	
Okayama	Sept. 1-Oct. 12	10	
Okugori	Sept. 1-9	27	
Osaka	Aug. 24-Oct. 12	248	179	
Saga Ken	Sept. 1-Oct. 12	74	
Sasebo	Sept. 1	Present.
Tokyo	Sept. 1-Oct. 5	12	Nov. 16, still present in vicinity.
Wakayama Ken	Sept. 1-13	1	

a Cases among foreigners, deaths among natives.